


Pillow Block Units

UCP type

With setscrews

Cylindrical bore

Shaft dia.: 12~60mm




Note: The line shows figure of UCPX00 series

With steel covers

軸徑 (mm)	連座 軸承 型番	主要寸法 (mm)															安裝 螺栓 型番	
		H	L	A	J	N	N ₁	H ₁	H ₂	H ₅	B	S	A ₄	A ₅	A ₆	A ₇		
12	UCP201	30.2	127	38	95	13	19	15	62	66	31	12.7	56	62	8	6	M 10	
15	UCP202	30.2	127	38	95	13	19	15	62	66	31	12.7	56	62	8	6	M 10	
17	UCP203	30.2	127	38	95	13	19	15	62	66	31	12.7	56	62	8	6	M 10	
20	UCP204	33.3	127	38	95	13	19	15	65	69	31	12.7	56	62	8	6	M 10	
25	UCP205	36.5	140	38	105	13	16	16	70	76	34	14.3	63	70	11	9	M 10	
	UCPX05	44.4	159	51	119	17	25	18	85	—	38.1	15.9	65	—	9	—	M 14	
	UCP305	45	175	45	132	17	20	16	84	89	38	15	—	78	—	10	M 14	
30	UCP206	42.9	165	48	121	17	21	18	83	87	38.1	15.9	65	74	9	8	M 14	
	UCPX06	47.6	175	57	127	17	25	20	94	—	42.9	17.5	70	—	8	—	M 14	
	UCP306	50	180	50	140	17	20	19	94	99	43	17	—	84	—	10	M 14	
35	UCP207	47.6	167	48	127	17	21	19	94	97	42.9	17.5	70	80	8	8	M 14	
	UCPX07	54	203	57	144	17	30	22	105	—	49.2	19	83	—	10	—	M 14	
	UCP307	56	210	56	160	17	25	21	105	110	48	19	—	90	—	10	M 14	
40	UCP208	49.2	184	54	137	17	25	19	100	104	49.2	19	82	90	10	8	M 14	
	UCPX08	58.7	222	67	156	20	32	26	113	—	49.2	19	82	—	10	—	M 16	
	UCP308	60	220	60	170	17	27	23	116	122	52	19	—	100	—	11	M 14	
45	UCP209	54	190	54	146	17	22	20	108	114	49.2	19	82	90	10	8	M 14	
	UCPX09	58.7	222	67	156	20	33	26	116	—	51.6	19	87	—	9	—	M 16	
	UCP309	67	245	67	190	20	30	25	128	136	57	22	—	106	—	12	M 16	
50	UCP210	57.2	206	60	159	20	25	22	114	120	51.6	19	87	98	9	10	M 16	
	UCPX10	63.5	241	73	171	20	36	27	126	—	55.6	22.2	88	—	9	—	M 16	
	UCP310	75	275	75	212	20	35	28	143	149	61	22	—	114	—	12	M 16	
55	UCP211	63.5	219	60	171	20	25	22	126	133	55.6	22.2	88	100	9	10	M 16	
	UCPX11	69.8	260	79	184	25	36	30	139	—	65.1	25.4	100	—	9	—	M 20	
	UCP311	80	310	80	236	20	38	31	154	159	66	25	—	120	—	13	M 16	
60	UCP212	69.8	241	70	184	20	25	25	138	145	65.1	25.4	102	114	10	11	M 16	
	UCPX12	76.2	286	83	203	25	41	32	151	—	65.1	25.4	104	—	11	—	M 20	
	UCP312	85	330	85	250	25	38	33	165	169	71	26	—	130	—	14	M 20	

Remarks: 1. Grease nipple: 1/4-28UNF



With cast covers

1N=0.102kgf

	軸 承 部 份			軸承座 型番	UnitNo. w ith steel covers	UnitNo. w ith cast covers	附鑄		
	型 番	基本額定荷重(N)					標準	附鋼製 外蓋	附鑄鐵 外蓋
		Cr	Cor		Covers w ith rubber seal (End cover on one side)	Covers w ith rubber seal (End cover on one side)			
	UC 201	12800	6600	P 203	UCP 201C (E)	CUCP 201C (CE)	0.65	0.71	1.1
	UC 202	12800	6600	P 203	UCP 202C (E)	CUCP 202C (CE)	0.63	0.69	1.1
	UC 203	12800	6600	P 203	UCP 203C (E)	CUCP 203C (CE)	0.62	0.68	1.1
	UC 204	12800	6600	P 204	UCP 204C (E)	CUCP 204C (CE)	0.65	0.71	1.1
	UC 205	14000	7900	P 205	UCP 205C (E)	CUCP 205C (CE)	0.79	0.86	1.4
	UCX 05	19600	11300	PX 05	UCPX 05C (E)	—	1.5	1.5	—
	UC 305	21300	10900	P 305	—	CUCP 305C (CE)	1.6	—	2.1
	UC 206	19600	11300	P 206	UCP 206C (E)	CUCP 206C (CE)	1.3	1.4	2.0
	UCX 06	25900	15400	PX 06	UCPX 06C (E)	—	1.9	1.9	—
	UC 306	26800	15000	P 306	—	CUCP 306C (CE)	1.9	—	2.6
	UC 207	25900	15400	P 207	UCP 207C (E)	CUCP 207C (CE)	1.6	1.7	2.5
	UCX 07	29300	17900	PX 07	UCPX 07C (E)	—	2.7	2.7	—
	UC 307	33500	19200	P 307	—	CUCP 307C (CE)	2.7	—	3.4
	UC 208	29300	17900	P 208	UCP 208C (E)	CUCP 208C (CE)	2.0	2.2	3.0
	UCX 08	33000	20500	PX 08	UCPX 08C (E)	—	3.5	3.5	—
	UC 308	40500	23900	P 308	—	CUCP 308C (CE)	3.3	—	4.4
	UC 209	33000	20500	P 209	UCP 209C (E)	CUCP 209C (CE)	2.3	2.5	3.4
	UCX 09	35500	23200	PX 09	UCPX 09C (E)	—	3.5	3.6	—
	UC 309	51500	29500	P 309	—	CUCP 309C (CE)	4.5	—	5.8
	UC 210	35500	23200	P 210	UCP 210C (E)	CUCP 210C (CE)	2.7	3.0	4.1
	UCX 10	43000	29400	PX 10	UCPX 10C (E)	—	4.2	4.5	—
	UC 310	61500	38200	P 310	—	CUCP 310C (CE)	6.2	—	7.6
	UC 211	43000	29400	P 211	UCP 211C (E)	CUCP 211C (CE)	3.3	3.7	5.0
	UCX 11	52500	36100	PX 11	UCPX 11C (E)	—	5.9	6.2	—
	UC 311	71500	44800	P 311	—	CUCP 311C (CE)	7.7	—	9.6
	UC 212	52500	36100	P 212	UCP 212C (E)	CUCP 212C (CE)	4.7	5.1	6.7
	UCX 12	57500	40000	PX 12	UCPX 12C (E)	—	7.2	7.4	—
	UC 312	81500	52000	P 312	—	CUCP 312C (CE)	9.3	—	11.0

Remarks: 2. Examples of unit numbers with covers:

With steel cover { Covers with rubber seal on both sides UCP210C
An end cover and a cover with rubber seal UCP210E

With cast covers { Covers with rubber seal on both sides CUCP210C
An end cover and a cover with rubber seal CUCP210CE


Pillow Block Units

UCP type

With setscrews

Cylindrical bore

Shaft dia.: 65~140mm




Note: The line shows figure of UCPX00 series

With steel covers

軸徑 (mm)	連座 軸承 型番	主要寸法 (mm)															安裝 螺栓 型番	
		H	L	A	J	N	N ₁	H ₁	H ₂	H ₅	B	S	A ₄	A ₅	A ₆	A ₇		
65	UCP213	76.2	265	70	203	25	29	27	150	156	65.1	25.4	102	118	10	13	M 20	
	UCPX13	76.2	286	83	203	25	41	32	154	—	74.6	30.2	—	—	—	—	M 20	
	UCP313	90	340	90	260	25	38	36	174	188	75	30	—	140	—	17	M 20	
70	UCP214	79.4	266	72	210	25	31	27	156	162	74.6	30.2	—	134	—	16	M 20	
	UCPX14	88.9	330	89	229	27	51	35	172	—	77.8	33.3	—	—	—	—	M 22	
	UCP314	95	360	90	280	27	40	40	186	198	78	33	—	140	—	17	M 22	
75	UCP215	82.6	275	74	217	25	31	28	163	167	77.8	33.3	—	136	—	17	M 20	
	UCPX15	88.9	330	89	229	27	51	35	177	—	82.6	33.3	—	—	—	—	M 22	
	UCP315	100	380	100	290	27	40	40	197	208	82	32	—	150	—	17	M 22	
80	UCP216	88.9	292	78	232	25	31	30	175	188	82.6	33.3	—	146	—	15	M 20	
	UCPX16	101.6	381	102	283	27	59	42	197	—	85.7	34.1	—	—	—	—	M 22	
	UCP316	106	400	110	300	27	40	45	209	219	86	34	—	154	—	17	M 22	
85	UCP217	95.2	310	83	247	25	31	32	187	199	85.7	34.1	—	150	—	15	M 20	
	UCPX17	101.6	381	102	283	27	59	42	202	—	96	39.7	—	—	—	—	M 22	
	UCP317	112	420	110	320	33	45	45	221	234	96	40	—	164	—	18	M 27	
90	UCP218	101.6	327	88	262	27	33	34	200	211	96	39.7	—	164	—	17	M 22	
	UCPX18	101.6	381	111	283	27	60	45	206	—	104	42.9	—	—	—	—	M 22	
	UCP318	118	430	110	330	33	45	50	233	245	96	40	—	168	—	20	M 27	
95	UCP319	125	470	120	360	36	50	50	250	257	103	41	—	180	—	20	M 30	
100	UCPX20	127	432	121	337	33	64	52	250	—	117.5	49.2	—	—	—	—	M 27	
	UCP320	140	490	120	380	36	50	55	275	282	108	42	—	190	—	21	M 30	
105	UCP321	140	490	120	380	36	50	55	278	287	112	44	—	194	—	21	M 30	
110	UCP322	150	520	140	400	40	55	60	295	305	117	46	—	210	—	26	M 33	
120	UCP324	160	570	140	450	40	55	70	321	328	126	51	—	220	—	25	M 33	
130	UCP326	180	600	140	480	40	55	80	354	358	135	54	—	230	—	24	M 33	
140	UCP328	200	620	140	500	40	55	80	388	388	145	59	—	240	—	24	M 33	

Remarks: 1. Grease nipple: 1/4-28UNF for bore number 13
PF1/8 for bore number 14 and over



With cast covers

1N=0.102kgf

	軸 承 部 份			軸 承 座 型 番	UnitNo. with steel covers	UnitNo. with cast covers	附 鑄		
	型 番	基本額定荷重(N)			Covers with rubber seal (End cover on one side)	Covers with rubber seal (End cover on one side)	標準	附鋼製 外蓋	附鑄鐵 外蓋
		Cr	Cor						
	UC 213	57500	40000	P 213	UCP 213C (E)	CUCP 213C (CE)	5.6	6.1	7.8
	UCX 13	62000	44000	PX 13	—	—	7.4	—	—
	UC 313	92500	59700	P 313	—	CUCP 313C (CE)	9.8	—	14.3
	UC 214	62000	44000	P 214	—	CUCP 214C (CE)	7.3	—	9.3
	UCX 14	66000	48200	PX 14	—	—	11.1	—	—
	UC 314	104000	68000	P 314	—	CUCP 314C (CE)	11.4	—	16.7
	UC 215	66000	48200	P 215	—	CUCP 215C (CE)	7.9	—	9.6
	UCX 15	72500	53000	PX 15	—	—	11.4	—	—
	UC 315	114000	76900	P 315	—	CUCP 315C (CE)	13.6	—	19.6
	UC 216	72500	53000	P 216	—	CUCP 216C (CE)	10.0	—	12.2
	UCX 16	83500	61800	PX 16	—	—	17.4	—	—
	UC 316	123000	86400	P 316	—	CUCP 316C (CE)	16.4	—	23.5
	UC 217	83500	61800	P 217	—	CUCP 217C (CE)	12.2	—	14.2
	UCX 17	95500	71400	PX 17	—	—	17.1	—	—
	UC 317	132000	96500	P 317	—	CUCP 317C (CE)	18.6	—	27.0
	UC 218	95500	71400	P 218	—	CUCP 218C (CE)	14.7	—	18.2
	UCX 18	109000	81600	PX 18	—	—	17.0	—	—
	UC 318	143000	107200	P 318	—	CUCP 318C (CE)	20.9	—	30.4
	UC 319	153000	118400	P 319	—	CUCP 319C (CE)	26.5	—	36.8
	UCX 20	134000	104700	PX 20	—	—	33.0	—	—
	UC 320	173000	140400	P 320	—	CUCP 320C (CE)	34.3	—	44.9
	UC 321	183000	153100	P 321	—	CUCP 321C (CE)	36.6	—	45.2
	UC 322	205000	178800	P 322	—	CUCP 322C (CE)	42.5	—	54.7
	UC 324	207000	184800	P 324	—	CUCP 324C (CE)	53.5	—	73.8
	UC 326	229000	214300	P 326	—	CUCP 326C (CE)	72.1	—	92.2
	UC 328	255000	246000	P 328	—	CUCP 328C (CE)	89.1	—	110

Remarks: 2. Examples of unit numbers with covers:

With steel cover { Covers with rubber seal on both sides :UCP 213C
 An end cover and a cover with rubber seal :UCP 213E
 With cast covers { Covers with rubber seal on both sides :CUCP 213C
 An end cover and a cover with rubber seal :CUCP 213CE